



Plockmatic Reflex Mailing System

Mailing with the widest application range in the Industry

Plockmatic Reflex

Plockmatic Reflex is a modular mail inserting system offering maximum flexibility and robust production features supporting a monthly duty cycle of up to 500 000 inserts per month.

The Reflex System supports the widest application range in the industry, capable of running from DL to portrait and landscape C4 applications. It also provides best in class filling thickness of up to 0.5" (12mm).

Our goal is to provide an industry leading application range while keeping the setup and operation simple. The touch screen user interface features operator friendly settings. The system provides completely automated job change-over, making setup and operation simple even for occasional users. Using all the system's features has never been easier.





About us

Plockmatic Group develops, manufactures and markets an extensive range of document finishing systems sold under the Plockmatic and Morgana brand names. These products work inline or offline together with the world's best digital printing systems.

We make booklets. We also mail, fold, crease, perforate and bind documents with extraordinary precision. Quite simply, we turn stacks of printed paper into the beautifully finished documents you use every day.



Plockmatic Reflex



Technical Specifications

Inserter

Cycle speed	Up to 4 000 inserts per hour
Envelope size	From #10 to 10" x 13" Landscape or 13" x 10" Portrait
Envelope (H x W)	4.33" x 8.8" to 13.9" x 13.9"
Sheet size (H x W)	3.5" x 6.3" to 11.8" x 12.4"
Insert thickness	From single 20lb bond sheet up to 0.5"


Tower Feeder

Feeders per tower	3 High Capacity Bins to 6 Standard Capacity Bins
Towers per system	1 to 2
Stack height, Standard Capacity Bin	1.1"
Stack height, High Capacity Bin	2.8"
Sheet size (H x W)	3.5" x 6.3" to 11.8" x 16.5"
Paper weight	16 lb Bond to 74 lb Cover
Booklet feeder (optional)	From single 20 lb Bond sheet up to 0.31"

Compiler / Folder

Input sheet size folding (H x W)	10.6" x 8.3" to 11.8" x 16.5"
Capacity "C" and "Z" fold	Up to 7 sheets at 20 lb Bond
Capacity half fold	Up to 10 sheets at 20 lb Bond

Plockmatic Reflex - Machine footprint



Plockmatic Group / www.plockmaticgroup.com

*Disclaimer As part of our continued product improvement plan, specifications and information published here are subject to change without notice. All specifications are dependent on application, type of stock, temperature, RH and print engine used. Specifications quoted were measured on uncoated and unprinted stock. E & OE.