



Bindomatic Flex | Cube | Ultra

# Accel Flex / Accel Cube

---



## Accel Flex

The Bindomatic® Flex is a powerful, manually operated binder designed to meet any document format demand with spine lengths up to 370mm. Bind documents as thick as 54 mm, soft covers, hard covers; this binder will bind them all and do it stronger and more effectively than any comparable manual binding system on the market, up to 15 documents per minute.

If you need to remove, replace or add sheets, simply re-heat the binding. With the wide range of Bindomatic® covers, your business presentations, reports, proposals, statements, manuals etc, will always look and feel as professional as the content and message of your document.

**Faster, stronger**  
binding in a flash with  
the next generation of  
**high-performance,**  
off-line, **automated,**  
binding machines.


Powerful, **manually**  
**operated** binder designed  
to meet any document  
format demand with **spine**  
**lengths** up to **370mm.**

## Accel Cube

Bindomatic has enhanced our Drop&Go Technology, making the Accel Cube an amazing two times faster than the previous generation, 45x faster than punch and bind, and 30x faster than tape binding. Rivalled only by the Bindomatic® Ultra, documents move through the machine at the rate of 60 documents per minute dramatically boosting efficiency. The Cube features additional upgrades including increased quality and strength of the bound documents as well as improved appearance of the machine.

The Cube is the ideal binding solution for office / corporate walk-up print stations, as well as volume demanding print room environments. It delivers professionally-bound documents, without the need of trained operators.





## Accel Ultra

Bindomatic® breaks new ground in document binding efficiency with the new Accel Ultra. Designed with the high-end user in mind, the Ultra boasts double the loading capacity and has cut processing time in half. Our third-generation thermal binding machine binds one document per second — 45 times faster than punch & bind and 30 times faster than tape binding.

Our innovative Drop&Go Technology truly sets the Ultra apart from all others. By batch-feeding up to 50 documents into the machine, the operator is free to work in parallel. You simply Drop&Go!

Thanks to its intuitive simplicity, ease of use, and binding speed, the Ultra System is the ideal binding solution for office/corporate walk-up print stations, as well as volume demanding CRD or commercial print environments.

A revolutionary  
**high-performance,**  
offline, **automated,**  
binding machine is here.



## Machine Specifications

|                      | FLEX                          | CUBE                          | ULTRA+                           | ULTRA                              |
|----------------------|-------------------------------|-------------------------------|----------------------------------|------------------------------------|
| Document size        | A5 to A3 landscape            | A4 portrait bound orientation | A4 portrait bound orientation    | A4 portrait bound orientation & A5 |
| Document spine width | From 1.5 to 54mm              | From 1.5 to 15mm              | Up to 36mm                       | From 1.5 to 15mm                   |
| System capacity      | From 1 to 150 sheets of 80GSM | From 1 to 150 sheets of 80GSM | Up to 720 printed pages of 80GSM | From 1 to 150 sheets of 80GSM      |
| Machine dimensions   | L446 x W264 x H132mm          | L511 x W475 x H360mm          | L746 x W645 x H435mm             | L746 x W645 x H435mm               |
| Weight               | 5.5kg                         | 28kg                          | 48kg                             | 48kg                               |
| Power supply         | 230V, 50/60Hz                 | 230V, 50/60Hz                 | 230V, 50/60Hz                    | 230V, 50/60Hz                      |

## Document Binding Covers

| 50 COVERS    |                 | 80 COVERS    |                 | 100 COVERS   |                 | 240 COVERS   |                 |
|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|
| Spine Widths | Number Per Pack | Spine Widths | Number Per Pack | Spine Widths | Number Per Pack | Spine Widths | Number Per Pack |
| 9mm          | 20              | 1.5mm        | 20              | 1.5mm        | 40              | 1.5mm        | 60              |
| 12mm         | 20              | 3mm          | 20              | 3mm          | 40              | 3mm          | 60              |
| 15mm         | 10              | 6mm          | 10              | 6mm          | 20              | 6mm          | 60              |
|              |                 | 9mm          | 10              |              |                 | 9mm          | 30              |
|              |                 | 12mm         | 10              |              |                 | 12mm         | 20              |
|              |                 |              |                 |              |                 | 15mm         | 10              |



\*Disclaimer As part of our continued product improvement plan, specifications and information published here are subject to change without notice. All specifications are dependent on application, type of stock, temperature, RH and print engine used. Specifications quoted were measured on uncoated and unprinted stock. E & OE.