
// Plockmatic Group



## Plockmatic MPS XL for Canon

www.plockmaticgroup.com

## Plockmatic MPS XL

### MPS XL Multi-Purpose Stacker, the flexible, cost-effective stacking solution

The Plockmatic MPS XL Multi Purpose Stacker is a flexible, costeffective stacking solution. The simple docking/undocking system enables easy transportation, while the motorized Stacking Table makes it easy to lift and transport long sheets as easy as standard size. It can also stack standard paper sizes and offers a unique combination of features, (stacking, lifting, and transporting) in a single product.

#### **Key Features**

- Capable of stacking a wide range of media, from 210 x 210mm to sheets as large as 385 x 1300mm (maximum sheet size is determined by up stream print engine)
- Rated for a maximum load of 40kg
- Maximum stack height:
  - Sheets under 715mm length: up to 330mm stack height
  - Sheets 715mm or longer: up to 140mm stack height
- Motorized stacking table allows lifting of heavy paper stacks to desired height
- Simple spring-loaded docking mechanism allow for frequent docking/undocking and easy transportation of paper
- Integration with print engine allows operator to pause and resume printing using the MPS XL user interface




#### **Optimizing Production Workflow**

The MPS XL provides the link between the printer and the finishing device that will create the complete application, helping digital print providers turn over-sized sheets into profitable applications. Sheets fed into the MPS XL can easily be moved to another finishing device, for example the Morgana DigiFold Pro from Plockmatic.

Conventional stackers can only handle a small number of long sheets. The MPS XL supports true production quantities. It also allows for thicker paper stock up to 500gsm. Some key benefits include:

- Stacking and handling during the finishing process
- Makes it easy for operators to handle longer sheets
- Enables easy transportation of paper





# **Product Specifications**

Stack Capacity	Sheets under 715mm length: 330mm For Sheets 715mm or longer: 140mm
Maximum Stack Weight	40kg

Maximum S	Stack	Weight	40k	(
-----------	-------	--------	-----	---

Footprint MPS XL Stacker		
Dimensions (L x D x H)	Compact 900 x 750 x 1060mm Extended 1410 x 750 x 1060mm	
Power Source	100-230V ±10%, 50-60Hz	
Power Consumption	Maximum: 115W Standby: 9W	

Media MPS XL Stacker		
Standard Paper Sup- port	A4, A3, 8.5 x 11", 11 x 17", 12 x 18", SRA3, SRA4, 9 x 12"	
Min paper size	210mm x 210mm	
Max paper size	385mm x 1300mm*	
Min paper weight	80gsm	
Max paper weight	500gsm	
Paper weight support	80 - 500 gsm (up to 457.2mm length) 120 - 500 gsm (up to 700mm length) 150 - 500 gsm (up to 1300mm length)	

\*Maximum sheet size is determined by upstream print engine

Compatibility MPS XL Stacker		
Compatible Interfaces	Canon DFD adapter and Bridge B1 and Canon High Capacity Stacker	
Compatible Print Engines	Canon imagePRESS V900 Canon imagePRESS V1000 Canon imagePRESS V1350	

### // Plockmatic Group / www.plockmaticgroup.com

\*Disclaimer As part of our continued product improvement plan, specifications and information published here are subject to change without notice. All specifications are dependent on application, type of stock, temperature, RH and print engine used. Specifications quoted were measured on uncoated and unprinted stock. E & OE.

